



80x55xh80 cm



202 Kg



60x85xh92 cm 221 Kg



98x66xh90 cm 237 Kg



EP 460




1.8 kW / 2.4 Hp

**CUTS/MIN 98**

| N°                | 1         |      | 2         |      | 3         |      | 4         |      | 5         |      |
|-------------------|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| N/mm <sup>2</sup> | mm        | in   | mm        | in   | mm        | in   | mm        | in   | mm        | in   |
| Ø R=650           | <b>24</b> | 0,94 | <b>16</b> | 0,63 | <b>14</b> | 0,55 | <b>12</b> | 0,47 | <b>10</b> | 0,39 |
| Ø R=850           | <b>20</b> | 0,79 | <b>14</b> | 0,55 | <b>12</b> | 0,47 | <b>10</b> | 0,39 | <b>10</b> | 0,39 |

**DOTAZIONE OPTIONAL - OPTIONAL EQUIPMENT - EQUIPEMENT OPTIONAL - EQUIPAMIENTO OPCIONAL - WAHLWEISE AUSTRÜSTUNGEN**

|     | ITA   | ENG    | FRA   | ESP    | DEU   |
|-----|-------|--------|-------|--------|-------|
| n.4 | Ruote | Wheels | Roues | Ruedas | Räder |



|                                                                                               |                                                                                                                                               |                                                                                                              |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Lato di taglio</b><br>Cutting edges<br>Arêtes coupantes<br>Aritas de corte<br>Schneidkantn | <b>Durata taglio un lato</b><br>Duration of cutting edge<br>durée de l'arête coupante<br>Duraciòn arista de corte<br>Lebensdauer Schneidkante | <b>Durata della lama</b><br>Duration of blade<br>Durée de la lame<br>Duraciòn cuchilla<br>Lebensdauer Messer |
| <b>4</b>                                                                                      | <b>150 h</b>                                                                                                                                  | <b>600 h</b>                                                                                                 |



80x55xh80 cm



202 Kg



60x85xh92 cm 212 Kg



98x66xh90 cm 228 Kg



EP 460




2,2 kW / 3 Hp

**CUTS/MIN 98**

| N°                | 1         |      | 2         |      | 3         |      | 4         |      | 5         |      |
|-------------------|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| N/mm <sup>2</sup> | mm        | in   | mm        | in   | mm        | in   | mm        | in   | mm        | in   |
| Ø R=650           | <b>26</b> | 1,02 | <b>18</b> | 0,71 | <b>14</b> | 0,55 | <b>12</b> | 0,47 | <b>10</b> | 0,39 |
| Ø R=850           | <b>22</b> | 0,87 | <b>16</b> | 0,63 | <b>12</b> | 0,47 | <b>10</b> | 0,39 | <b>10</b> | 0,39 |

**DOTAZIONE OPTIONAL - OPTIONAL EQUIPMENT - EQUIPEMENT OPTIONAL - EQUIPAMIENTO OPCIONAL - WAHLWEISE AUSTRÜSTUNGEN**

|     | ITA   | ENG    | FRA   | ESP    | DEU   |
|-----|-------|--------|-------|--------|-------|
| n.4 | Ruote | Wheels | Roues | Ruedas | Räder |



|                                                                                                |                                                                                                                                               |                                                                                                              |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Lato di taglio</b><br>Cutting edges<br>Arêtes coupantes<br>Aritas de corte<br>Schneidkanten | <b>Durata taglio un lato</b><br>Duration of cutting edge<br>durée de l'arête coupante<br>Duraciòn arista de corte<br>Lebensdauer Schneidkante | <b>Durata della lama</b><br>Duration of blade<br>Durée de la lame<br>Duraciòn cuchilla<br>Lebensdauer Messer |
| <b>4</b>                                                                                       | <b>150 h</b>                                                                                                                                  | <b>600 h</b>                                                                                                 |



95x60xh87 cm



305 Kg



100x60xh98 cm 315 Kg



96x64xh90 cm 320 Kg



EP 460




3 kW / 4 Hp

**CUTS/MIN** 94

| N°                | 1         |      | 2         |      | 3         |      | 4         |      | 5         |      |
|-------------------|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| N/mm <sup>2</sup> | mm        | in   | mm        | in   | mm        | in   | mm        | in   | mm        | in   |
| Ø R=650           | <b>32</b> | 1,26 | <b>22</b> | 0,87 | <b>16</b> | 0,63 | <b>12</b> | 0,47 | <b>10</b> | 0,39 |
| Ø R=850           | <b>28</b> | 1,10 | <b>18</b> | 0,71 | <b>14</b> | 0,55 | <b>12</b> | 0,47 | <b>10</b> | 0,39 |

**DOTAZIONE OPTIONAL - OPTIONAL EQUIPMENT - EQUIPEMENT OPTIONAL - EQUIPAMIENTO OPCIONAL - WAHLWEISE AUSTRÜSTUNGEN**

|     | ITA   | ENG    | FRA   | ESP    | DEU   |
|-----|-------|--------|-------|--------|-------|
| n.4 | Ruote | Wheels | Roues | Ruedas | Räder |



|                                                                                                |                                                                                                                                               |                                                                                                              |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Lato di taglio</b><br>Cutting edges<br>Arêtes coupantes<br>Aritas de corte<br>Schneidkanten | <b>Durata taglio un lato</b><br>Duration of cutting edge<br>durée de l'arête coupante<br>Duraciòn arista de corte<br>Lebensdauer Schneidkante | <b>Durata della lama</b><br>Duration of blade<br>Durée de la lame<br>Duraciòn cuchilla<br>Lebensdauer Messer |
| <b>4</b>                                                                                       | <b>150 h</b>                                                                                                                                  | <b>600 h</b>                                                                                                 |



100x65xh92 cm

400 Kg

110x60xh88 cm 410 Kg

117x73xh110 cm 425 Kg

EP 460


4 kW / 5.5 Hp

**CUTS/MIN 85**

| N°                | 1         |      | 2         |      | 3         |      | 4         |      | 5         |      |
|-------------------|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| N/mm <sup>2</sup> | mm        | in   | mm        | in   | mm        | in   | mm        | in   | mm        | in   |
| Ø R=650           | <b>36</b> | 1,42 | <b>24</b> | 0,94 | <b>18</b> | 0,71 | <b>14</b> | 0,55 | <b>12</b> | 0,47 |
| Ø R=850           | <b>30</b> | 1,18 | <b>20</b> | 0,79 | <b>16</b> | 0,63 | <b>12</b> | 0,47 | <b>10</b> | 0,39 |

**DOTAZIONE OPTIONAL - OPTIONAL EQUIPMENT - EQUIPEMENT OPTIONAL - EQUIPAMIENTO OPCIONAL - WAHLWEISE AUSTRÜSTUNGEN**

|     | ITA   | ENG    | FRA   | ESP    | DEU   |
|-----|-------|--------|-------|--------|-------|
| n.4 | Ruote | Wheels | Roues | Ruedas | Räder |



|                                                                                               |                                                                                                                                               |                                                                                                              |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Lato di taglio</b><br>Cutting edges<br>Arêtes coupantes<br>Aritas de corte<br>Schneidkantn | <b>Durata taglio un lato</b><br>Duration of cutting edge<br>durée de l'arête coupante<br>Duraciòn arista de corte<br>Lebensdauer Schneidkante | <b>Durata della lama</b><br>Duration of blade<br>Durée de la lame<br>Duraciòn cuchilla<br>Lebensdauer Messer |
| <b>4</b>                                                                                      | <b>150 h</b>                                                                                                                                  | <b>600 h</b>                                                                                                 |



110x60xh87 cm



540 Kg



70x130xh103 cm 562 Kg



73x117xh110 cm 564 Kg



EP 460




4 kW / 5.5 Hp

**CUTS/MIN** 51

| N°                | 1         |      | 2         |      | 3         |      | 4         |      | 5         |      |
|-------------------|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| N/mm <sup>2</sup> | mm        | in   | mm        | in   | mm        | in   | mm        | in   | mm        | in   |
| Ø R=650           | <b>40</b> | 1,57 | <b>28</b> | 1,10 | <b>22</b> | 0,87 | <b>16</b> | 0,63 | <b>14</b> | 0,55 |
| Ø R=850           | <b>34</b> | 1,34 | <b>24</b> | 0,94 | <b>20</b> | 0,79 | <b>14</b> | 0,55 | <b>12</b> | 0,47 |

**DOTAZIONE OPTIONAL - OPTIONAL EQUIPMENT - EQUIPEMENT OPTIONAL - EQUIPAMIENTO OPCIONAL - WAHLWEISE AUSRÜSTUNGEN**

|     | ITA   | ENG    | FRA   | ESP    | DEU   |
|-----|-------|--------|-------|--------|-------|
| n.4 | Ruote | Wheels | Roues | Ruedas | Räder |



|                                                                                                |                                                                                                                                               |                                                                                                              |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Lato di taglio</b><br>Cutting edges<br>Arêtes coupantes<br>Aritas de corte<br>Schneidkanten | <b>Durata taglio un lato</b><br>Duration of cutting edge<br>durée de l'arête coupante<br>Duraciòn arista de corte<br>Lebensdauer Schneidkante | <b>Durata della lama</b><br>Duration of blade<br>Durée de la lame<br>Duraciòn cuchilla<br>Lebensdauer Messer |
| <b>4</b>                                                                                       | <b>150 h</b>                                                                                                                                  | <b>600 h</b>                                                                                                 |



 125x65xh93 cm

 665 Kg

 145x90xh123 cm 695 Kg

 153x93xh115 cm 710 Kg

 EP 460


 5.5 kW / 7.5 Hp

**CUTS/MIN 42**

| N°                | 1         |      | 2         |      | 3         |      | 4         |      | 5         |      |
|-------------------|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| N/mm <sup>2</sup> | mm        | in   | mm        | in   | mm        | in   | mm        | in   | mm        | in   |
| Ø R=650           | <b>46</b> | 1,81 | <b>32</b> | 1,26 | <b>26</b> | 1,02 | <b>22</b> | 0,87 | <b>18</b> | 0,71 |
| Ø R=850           | <b>40</b> | 1,57 | <b>28</b> | 1,10 | <b>22</b> | 0,87 | <b>22</b> | 0,87 | <b>18</b> | 0,71 |

**DOTAZIONE OPTIONAL - OPTIONAL EQUIPMENT - EQUIPEMENT OPTIONAL - EQUIPAMIENTO OPCIONAL - WAHLWEISE AUSTRÜSTUNGEN**

|     | ITA   | ENG    | FRA   | ESP    | DEU   |
|-----|-------|--------|-------|--------|-------|
| n.4 | Ruote | Wheels | Roues | Ruedas | Räder |



|                                                                                                |                                                                                                                                               |                                                                                                              |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Lato di taglio</b><br>Cutting edges<br>Arêtes coupantes<br>Aritas de corte<br>Schneidkanten | <b>Durata taglio un lato</b><br>Duration of cutting edge<br>durée de l'arête coupante<br>Duraciòn arista de corte<br>Lebensdauer Schneidkante | <b>Durata della lama</b><br>Duration of blade<br>Durée de la lame<br>Duraciòn cuchilla<br>Lebensdauer Messer |
| <b>4</b>                                                                                       | <b>150 h</b>                                                                                                                                  | <b>600 h</b>                                                                                                 |